## Instruction for Installing P11 on Windows 7 64 bit with USB port.

1. After plugging in the USB cable to the computer and powered on, you should see a Virtual COM Port detected.

🚔 Device Manager	
Eile Action View Help	
b Disk drives	
Jisplay adapters	
b 🔮 DVD/CD-ROM drives	
🦻 🦣 Human Interface Devices	
IDE ATA/ATAPI controllers	
Keyboards	
D Mice and other pointing devices	
Monitors	
Da Other devices	
Virtual COM Port	
Dirable Devices	
Ports (COM & LPT)	
Communications Port (COM1)	
Processors	
b 🙀 Razer Device	
Sound, video and game controllers	
System devices	
USB Virtualization	
USB Virtualization Connector Driver	

2. Double click on the device, and click "Update Driver".

Virtual COM Port Properties				
	General	Driver Details		
	1	Virtual COM Port		
		Device type:	Other devices	
		Manufacturer:	Unknown	
		Location:	Port_#0002.Hub_#0002	
Device status The drivers for this device are not installed. (Code 28) There is no driver selected for the device information set or element. To find a driver for this device, click Update Driver.				
Update Driver				
Close Cancel				

3. Install the driver by browsing the USB driver folder that came with the CD, and continue to follow the on screen instructions.

mark (200 for logarite)	×
G Update Driver Software - Virtual COM Port	
Browse for driver software on your computer	
Search for driver software in this location:	
B:\driver\80USB_driver_new\x64	▼ B <u>r</u> owse
☑ Include subfolders	
Let me pick from a list of device drivers on my This list will show installed driver software compatible with the software in the same category as the device.	y computer the device, and all driver
	Next Cancel

4. When finishing installing, a Virtual Serial port should be installed, and you can find it under the "Ports" section in Device Manager, and under "Devices and printers". Note down the settings for the Port such as the "Baud rate" (shown as Bits per second 9600 in the Port Settings tab" and port number (COM 6 for the example screenshot)



5. Now click "Add a printer" to install the printer. Select "Add a local Printer"



6. Choose Use an existing port, and choose the COM port number that was installed for the Virtual serial port (COM 6 for this example)

Choose a printer port		
A printer port is a type of cor	nection that allows your computer to exchange in	formation with a printe
Use an existing port:	COM6: (Serial Port)	-
Create a new port:		
Type of port:	Adobe PDF Port Monitor	

7. Click "Have disk" and browse the directory for the printer driver.

install the printer of	iver	
Choose your pri	nter from the	list. Click Windows Update to see more models.
To install the dri	ver from an in	stallation CD, click Have Disk.
Manufacturer	*	Printers
Adobe	1.0	Adobe PDF Converter
Brother		
Canon		
Epson	+	
		Mindaus Undete
This debugs is disitally	the second second	



8. Select the "P11-USL" printer and click Next, continue to follow instructions.

Install the printer driver	
Choose your printer from the list. Click To install the driver from an installation	Windows Update to see more models. i CD, click Have Disk.
Printers	
P11-USL	
1 This driver is not digitally signed!	<u>W</u> indows Update <u>H</u> ave Disk
Tell me why driver signing is important	

G 🖶 Add Printer		hand the prime driver
Type a printer	name	
<u>P</u> rinter name:	P11-USL	
This printer will be	installed with the P11-USL driver.	
		Next Cancel

9. A new printer should now be installed, and to verify if the printer is installed correctly you can do a Test Print.

